

# Kauffman Seeds

## Corn Trial Summary 110-115 RM Test Set

Cooperator	Southwest Seed Research		Tillage	No-Till		
Location	Leoti, KS		Previous Crop	Wheat		
Planting Date	4/23/2025		Fertility	Undisclosed		
Harvest Date	10/16/2025		Herbicide	Undisclosed		
Irrigation	Sprinkler Irrigation		Fungicide	Undisclosed		
Company	Hybrid	Yield (bu/Ac)	Yield Rank	Moisture %	Test Weight	% of Trial Mean
Kauffman Seeds	442 PR	198.47	36	14.4	56.4	89.87%
Kauffman Seeds	111-16 PR	225.99	18	14.9	57.5	102.34%
Kauffman Seeds	112-26 PCE	268.64	1	16.1	56.5	121.65%
Kauffman Seeds	112-34 PCE	223.57	19	15.9	58.8	101.24%
Kauffman Seeds	113-05 PCE	215.89	23	16.8	56.4	97.76%
Kauffman Seeds	114-25 TRE	202.79	32	14.9	59.5	91.83%
Kauffman Seeds	662 TRE	189.61	38	13.9	56.7	85.86%
Kauffman Seeds	672 DV	223.32	20	18.7	57.1	101.12%
Beck's	6414V2P	202.72	33	15.3	57.9	91.79%
Brevant	B11V44AM	181.08	40	15.3	57.6	82.00%
Channel	210-46VT2P	201.23	34	13.2	57.0	91.12%
Channel	214-78 VT2DG	228.68	13	14.2	58.4	103.55%
DeKalb	DKC 111-35	205.38	28	14.1	58.6	93.00%
Pioneer	P1122AML	228.06	15	16.5	58.3	103.27%
Pioneer	P13050AM	227.48	16	16.1	56.8	103.01%
Pioneer	P13777PCE	236.78	7	17.3	58.5	107.22%
Pioneer	P14830AML	252.06	5	17.7	57.3	114.14%
Experimental	KS109-15 PCEX	231.02	9	15.7	57.5	104.61%
Experimental	KS110-15 PCEX	229.45	11	14.3	58.6	103.90%
Experimental	KS110-25 TREX	214.42	26	14.1	57.7	97.09%
Experimental	KS110-34 VLGX	197.91	37	15.3	57.7	89.62%
Experimental	KS110-35 TREX	183.74	39	13.3	56.6	83.20%
Experimental	KS110-45 TREX	228.71	12	14.5	57.1	103.57%
Experimental	KS111-15 PCEX	204.75	29	15.7	57.7	92.72%
Experimental	KS111-25 SSPX	215.89	24	15.4	57.8	97.76%
Experimental	KS111-35 TREX	229.53	10	14.3	58.0	103.94%
Experimental	KS112-15 PCEX	226.67	17	16.8	56.4	102.64%
Experimental	KS112-25 TREX	204.50	30	14.4	56.9	92.60%
Experimental	KS112-35 4PX	254.85	4	17.8	56.8	115.40%
Experimental	KS113-14 SSPX	220.66	22	17.0	57.3	99.92%
Experimental	KS113-15 PCEX	209.01	27	15.4	58.8	94.65%
Experimental	KS113-25 DPX	257.71	2	15.7	58.0	116.70%
Experimental	KS113-34 VLGX	199.82	35	15.9	58.1	90.48%
Experimental	KS113-44 TREX	215.28	25	15.1	59.3	97.49%
Experimental	KS114-14 TREX	223.07	21	16.1	58.0	101.01%
Experimental	KS114-15 AAX	204.32	31	14.0	57.2	92.52%
Experimental	KS114-35 TREX	228.21	14	17.1	59.1	103.34%
Experimental	KS114-44 TREX	233.35	8	15.4	59.3	105.67%
Experimental	KS114-45 PCEX	251.68	6	18.0	58.1	113.96%
Experimental	KS114-55 TREX	257.19	3	16.7	58.4	116.46%
<b>Trial Average</b>		<b>220.84</b>		<b>15.6</b>	<b>57.7</b>	